

## FINAL REGULATION ORDER

Note: ~~Strikeout~~ indicates deleted text; underline indicates inserted text.

**Amend Title 17, California Code of Regulations, Sections 94010, 94011 and 94167 to read:**

### **§ 94010. Definitions.**

The definitions of common terms and acronyms used in the certification and test procedures specified in Sections 94011, 94012, 94013, 94014, and 94015 are listed in D-200, "Definitions for Vapor Recovery Procedures", adopted April 12, 1996, as last amended ~~October 8, 2003~~ May 25, 2006, which are incorporated herein by reference.

NOTE: Authority cited: Sections 39600, 39601, 39607, and 41954, Health and Safety Code.  
Reference: Sections 25290.1.2, 39515, 41954, 41959, 41960 and 41960.2, Health and Safety Code.

### **§ 94011. Certification of Vapor Recovery Systems of Dispensing Facilities.**

The certification of gasoline vapor recovery systems at dispensing facilities (service stations) shall be accomplished in accordance with the Air Resources Board's CP-201, "Certification Procedure for Vapor Recovery Systems at Gasoline Dispensing Facilities" which is herein incorporated by reference. (Adopted: December 9, 1975, as last amended ~~February 9, 2005~~ May 25, 2006).

The following test procedures (TP) cited in CP-201 are also incorporated by reference.

TP-201.1 – "Volumetric Efficiency for Phase I Systems" (Adopted: April 12, 1996, as last amended October 8, 2003)

TP-201.1A – "Emission Factor For Phase I Systems at Dispensing Facilities" (Adopted: April 12, 1996, as last amended February 1, 2001)

TP-201.1B – "Static Torque of Rotatable Phase I Adaptors" (Adopted: July 3, 2002, as last amended October 8, 2003)

TP-201.1C – "Leak Rate of Drop Tube/Drain Valve Assembly" (Adopted: July 3, 2002, as last amended October 8, 2003)

TP-201.1D – "Leak Rate of Drop Tube Overfill Prevention Devices" (Adopted: February 1, 2001, as last amended October 8, 2003)

TP-201.1E – “Leak Rate and Cracking Pressure of Pressure/Vacuum Relief Vent Valves” (Adopted: October 8, 2003)

TP-201.1E CERT– “Leak Rate and Cracking Pressure of Pressure/Vacuum Vent Valves” (Adopted: May 25, 2006)

TP-201.2 – “Efficiency and Emission Factor for Phase II Systems” (Adopted: April 12, 1996, as last amended October 8, 2003)

TP-201.2A – “Determination of Vehicle Matrix for Phase II Systems” (Adopted: April 12, 1996, as last amended February 1, 2001)

TP-201.2B – “Flow and Pressure Measurement of Vapor Recovery Equipment” (Adopted: April 12, 1996, as last amended October 8, 2003)

TP-201.2C – “Spillage from Phase II Systems” (Adopted: April 12, 1996, as last amended February 1, 2001)

TP-201.2D – “Post-Fueling Drips from Nozzle Spouts” (Adopted: February 1, 2001, as last amended October 8, 2003)

TP-201.2E – “Gasoline Liquid Retention in Nozzles and Hoses” (Adopted: February 1, 2001)

TP-201.2F – “Pressure-Related Fugitive Emissions” (Adopted: February 1, 2001, as last amended October 8, 2003)

TP-201.2G – “Bend Radius Determination for Underground Storage Tank Vapor Recovery Components Return Piping” (Adopted: October 8, 2003, as last amended May 25, 2006)

TP-201.2H – “Determination of Hazardous Air Pollutants from Vapor Recovery Processors” (Adopted: February 1, 2001)

TP-201.2I – “Test Procedure for In-Station Diagnostic Systems” (Adopted: October 8, 2003, as last amended May 25, 2006)

TP-201.2J – “Pressure Drop Bench Testing of Vapor Recovery Components” (Adopted: October 8, 2003)

TP-201.3 – “Determination of 2 Inch WC Static Pressure Performance of Vapor Recovery Systems of Dispensing Facilities” (Adopted: April 12, 1996, as last amended March 17, 1999)

TP-201.3A – “Determination of 5 Inch WC Static Pressure Performance of

Vapor Recovery Systems of Dispensing Facilities” (Adopted: April 12, 1996)

TP-201.3B - "Determination of Static Pressure Performance of Vapor Recovery Systems of Dispensing Facilities with Above-Ground Storage Tanks" (Adopted: April 12, 1996)

TP-201.3C – “Determination of Vapor Piping Connections to Underground Gasoline Storage Tanks (Tie-Tank Test)” (Adopted: March 17, 1999)

TP-201.4 – “Dynamic Back Pressure” (Adopted: April 12, 1996, as last amended July 3, 2002)

TP-201.5 – “Air to Liquid Volume Ratio” (Adopted: April 12, 1996, as last amended February 1, 2001)

TP-201.6 – “Determination of Liquid Removal of Phase II Vapor Recovery Systems of Dispensing Facilities” (Adopted: April 12, 1996, as last amended April 28, 2000)

TP-201.6C – "Compliance Determination of Liquid Removal Rate" (Adopted: July 3, 2002)

TP-201.7 – “Continuous Pressure Monitoring” (Adopted: October 8, 2003)

NOTE: Authority cited: Sections 25290.1.2, 39600, 39601, 39607 and 41954, Health and Safety Code. Reference: Sections 25290.1.2, 39515, 41952, 41954, 41956.1, 41959, 41960 and 41960.2, Health and Safety Code.

**§ 94167. Method for Bend Radius Determination for Underground Storage Tank Vapor Return Piping.**

The test method for determining the bend radius for underground storage tank vapor return piping is set forth in the Air Resources Board’s TP-201.2G, “Bend Radius Determination for Underground Storage Tank Vapor Return Piping,” adopted October 8, 2003, as last amended May 25, 2006, which is incorporated by reference. (~~Adopted: October 8, 2003~~)

NOTE: Authority cited: Sections 39600, 39601, 39607 and 41954, Health and Safety Code. Reference: Sections 39515, 39516, 39605, 40001 and 41954, Health and Safety Code.