

FINAL REGULATION ORDER

Note: ~~Strikeout~~ indicates deleted text; underline indicates inserted text.

Amend Sections 94010 and 94011, Article 1, Subchapter 8, Chapter 1, Division 3, Title 17, California Code of Regulations to read:

§ 94010. Definitions.

The definitions of common terms and acronyms used in the certification and test procedures specified in Sections 94011, 94012, 94013, 94014, and 94015 are listed in D-200, "Definitions for Vapor Recovery Procedures", adopted April 12, 1996, as last amended ~~February 1, 2001~~ July 3, 2002 which are incorporated herein by reference.

NOTE: Authority cited: Sections 39600, 39601, 39607, and 41954, Health and Safety Code. Reference: Sections 39515, 41954, 41959, 41960 and 41960.2, Health and Safety Code.

§ 94011. Certification of Vapor Recovery Systems of Dispensing Facilities.

The certification of gasoline vapor recovery systems at dispensing facilities (service stations) shall be accomplished in accordance with the Air Resources Board's CP-201, "Certification Procedure for Vapor Recovery Systems of Dispensing Facilities" which is herein incorporated by reference. (Adopted: December 9, 1975, as last amended ~~June 1, 2001~~ July 3, 2002).

The following test procedures (TP) cited in CP-201 are also incorporated by reference.

TP-201.1 – "Volumetric Efficiency for Phase I Systems" (Adopted: April 12, 1996, as last amended February 1, 2001)

TP-201.1A – "Emission Factor For Phase I Systems at Dispensing Facilities" (Adopted: April 12, 1996, as last amended February 1, 2001)

TP-201.1B – "Static Torque of Rotatable Phase I Adaptors " (Adopted: July 3, 2002)

TP-201.1C – "Pressure Integrity of Drop Tube/Drain Valve Assembly " (Adopted: July 3, 2002)

TP-201.1D – "Pressure Integrity of Drop Tube Overfill Prevention Devices " (Adopted: February 1, 2001, as last amended July 3, 2002)

TP-201.2 – “Efficiency and Emission Factor for Phase II Systems”
(Adopted: April 12, 1996, as last amended February 1, 2001)

TP-201.2A – “Determination of Vehicle Matrix for Phase II Systems”
(Adopted: April 12, 1996, as amended February 1, 2001)

TP-201.2B – “Pressure Integrity of Vapor Recovery Equipment” (Adopted:
April 12, 1996, as last amended February 1, 2001)

TP-201.2C – “Spillage from Phase II Systems” (Adopted: April 12, 1996,
as last amended February 1, 2001)

TP-201.2D – “Post-Fueling Drips from Nozzle Spouts” (Adopted: February
1, 2001)

TP-201.2E – “Gasoline Liquid Retention in Nozzles and Hoses” (Adopted:
February 1, 2001)

TP-201.2F – “Pressure-Related Fugitive Emissions” (Adopted: February 1,
2001)

TP-201.2H – “Determination of Hazardous Air Pollutants from Vapor
Recovery Processors” (Adopted: February 1, 2001)

~~TP-201.2O – “Pressure Integrity of Drop Tube Overfill Protection Devices”
(Adopted: February 1, 2001)~~

TP-201.3 – “Determination of 2 Inch WC Static Pressure Performance of
Vapor Recovery Systems of Dispensing Facilities” (Adopted: April 12,
1996, as last amended March 17, 1999)

TP-201.3A – “Determination of 5 Inch WC Static Pressure Performance of
Vapor Recovery Systems of Dispensing Facilities” (Adopted: April 12,
1996)

TP-201.3B - "Determination of Static Pressure Performance of Vapor
Recovery Systems of Dispensing Facilities with Above-Ground Storage
Tanks" (Adopted: April 12, 1996)

TP-201.3C – “Determination of Vapor Piping Connections to Underground
Gasoline Storage Tanks (Tie-Tank Test)” (Adopted: March 17, 1999)

TP-201.4 – ~~Determination of Dynamic Back Pressure Performance of
Vapor Recovery Systems of Dispensing Facilities~~ (Adopted: April 12,
1996, as last amended ~~April 28, 2000~~ July 3, 2002)

TP-201.5 – “Air to Liquid Volume Ratio” (Adopted: April 12, 1996, as last amended February 1, 2001)

TP-201.6 – “Determination of Liquid Removal of Phase II Vapor Recovery Systems of Dispensing Facilities” (Adopted: April 12, 1996, as last amended April 28, 2000)

TP-201.6C – “Compliance Determination of Liquid Removal Rate”
(Adopted: July 3, 2002)

NOTE: Authority cited: Sections 39600, 39601, 39607, and 41954, Health and Safety Code. Reference: Sections 39515, 41954, 41956.1, 41959, 41960 and 41960.2, Health and Safety Code.

Amend Sections 94153, 94155, and 94163 Article 2, Subchapter 8, Chapter 1, Division 3, Title 17, California Code of Regulations to read:

§ 94153. Test Method for Determining the Dynamic Pressure Performance of Phase II Vapor Recovery Systems of Dispensing Facilities.

The test method for determining the dynamic pressure performance of Phase II vapor recovery systems of dispensing facilities ~~with above-ground storage tanks~~ is set forth in the Air Resources Board's TP-201.4 "~~Determination of Dynamic Back Pressure Performance of Vapor Recovery Systems of Dispensing Facilities~~" which is incorporated herein by reference. (Adopted: April 12, 1996, as last amended ~~April 28, 2000~~ July 3, 2002)

NOTE: Authority cited: Sections 39600, 39601, 39607 and 41954, Health and Safety Code. Reference: Sections 39515, 39516, 39605, 40001 and 41954, Health and Safety Code.

§ 94155 Compliance Test Method for Determining Liquid Blockage of Phase II Vapor Recovery Balance Systems at Dispensing Facilities

The compliance test method for determining the liquid blockage of a Phase II vapor recovery system is set forth in the Air Resources Board's TP-201.6C, "Compliance ~~Determination of Liquid Removal Rate of Phase II Vapor Recovery Systems of Dispensing Facilities~~" which is incorporated herein by reference. (Adopted: ~~April 12, 1996~~ July 3, 2002, as last amended ~~April 28, 2000~~)

NOTE: Authority cited: Sections 39600, 39601, 39607 and 41954, Health and Safety Code. Reference: Sections 39515, 39516, 39605, 40001 and 41954, Health and Safety Code.

§ 94163. Test Method for Pressure Integrity of Drop Tube Overfill ~~Protection~~ Prevention Devices.

The test method for determining the pressure integrity of drop tube overfill ~~protection prevention~~ devices is set forth in the Air Resources Board's TP-201.201D "Pressure Integrity of Drop Tube Overfill ~~Protection~~ Prevention Devices" which is incorporated herein by reference. (Adopted: February 1, 2001, as last amended July 3, 2002)

NOTE: Authority cited: Sections 39600, 39601, 39607 and 41954, Health and Safety Code. Reference: Sections 39515, 39516, 39605, 40001 and 41954, Health and Safety Code.

Adopt Sections 94164 and 94165, Article 2, Subchapter 8, Chapter 1, Division 3, Title 17, California Code of Regulations to read:

§ 94164. Test Method for Static Torque and Rotation of Rotatable Phase I Adaptors

The test method for determining the static torque and rotation of Phase I vapor and product adaptors is set forth in the Air Resources Board's TP-201.1B, "Static Torque of Rotatable Phase I Adaptors" which is incorporated herein by reference. (Adopted: July 3, 2002)

NOTE: Authority cited: Sections 39600, 39601, 39607 and 41954, Health and Safety Code. Reference: Sections 39515, 39516, 39605, 40001 and 41954, Health and Safety Code.

§ 94165. Test Method for Pressure Integrity of Drop Tube/Drain Valve Assembly

The test method for determining the pressure integrity of drop tube/drain valve assembly is set forth in the Air Resources Board's TP-201.1C, "Pressure Integrity of Drop Tube/Drain Valve Assembly" which is incorporated herein by reference. (Adopted: July 3, 2002)

NOTE: Authority cited: Sections 39600, 39601, 39607 and 41954, Health and Safety Code. Reference: Sections 39515, 39516, 39605, 40001 and 41954, Health and Safety Cod