## State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER A-20-53 Relating to Certification of New Motor Vehicles ·

## ISUZU MOTORS LIMITED

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1987 model-year Isuzu Motors Limited exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family	Displacen Cubic Inches		Exhaust Emission Control Systems (Special Features)
HSZ090V2FRG6	90	(1.5)	Air Injection - Valve Exhaust Gas Recirculation Three-Way Catalyst (Two) Oxygen Sensor

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per mile
0.41	7.0	0.7

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile
0.12	1.2	0.4

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the . Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) and Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this \_\_\_\_\_\_ day of July, 1986.

K. D. Drachand, Chief Mobile Source Division

## 198 7 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. # A-20-53

· ——				, Page 1	
Manufacturer ISUZU	OTORS LIMITED	_ Engine Family	HSZ090	DV2FRG6	
Evaporative Family CAN-D		_ Engine Type	L4		
, , , , , , , , , , , , , , , , , , ,	•	Liters (CID)	1.5 (	90)	
ABBREVIATIONS				- ·	
Ignition System	Exhaust Em	issions Control Sys	tem	Special Features	
CA-Centrifugal Advance EEC-Electronic Engine Control E1-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard	AIV-Air Ing CL-Closed L EGR-Exhaust EM-Engine M OC-Oxidation SPL-Smoke P Throttle TOC-Trap Ox TOP-Trap Ox TR-Thermal	AIP-Air Injection-Pump AIV-Air Injection-Valve CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst System SPL-Smoke Puff Limiter or Throttle Delay TOC-Trap Oxidizer, Continual TOP-Trap Oxidizer, Periodical TR-Thermal Reactor TWC-Three-Way Catalyst System		CCV-Combustion Chamber Valve CFI-Central Fuel Injection DID-Diesel Injection- Direct DIP-Diesel Injection- Prechamber FFI-Electronic Fuel	
Fuel System  TCI, CL, DID, DIP, EFI, MFI  V-nVenturi Carburetor				Injection IC-Intercooler or aftercooler MFI-Mechanical Fuel Injection TC-Turbocharger	
VEHICLE MODELS:		•	1		
Isuzu I-MARK		-2L: 4 Door Notchb -3L: 2 Door Hatchb			
Chevrolet SPECTRUM	C3G-2M: 4   C3G-3M: 2	Door Notchback Door Hatchback		•	
			!		
Engine: Front X Mid.	Rear				

4WD Full Time \_\_\_\_ 4WD Part Time

Rev. No. : 87G-02 ev. Date : 4-16-86 Issue Date: Apr. 16, 1986

Drive: FWD

Χ

RWD

ese1	ias X Die	hiclesG	Medium-Duty Ve	ks	Duty Truc	Cars X Light-	Passenger
	Engine Family HSZ090V2FRG6		ITED	OTORS LIN	rer ISUZU M	Manufactur	
<del></del>	Eng. TypeL4		····	)	1.5 (90	Liter (CID	
		., EGR, TWC	Alv, CL	ıres)	ial Feat	Control Sys. (Spec	Emission C
		Fuel System CL, 2V Carb.	Ign. System CA, VA Distributor	Equiv. Test Weight	Trans. Type	Vehicle Models (If Coded see attachment)	Enginė Code
Part No.	Part No.	Part No.	Part No.			(Dyno Hp)	
Under Floor Converter 825102932 Exh Manifold Converter 8944234400	8944016380	8944269160	8941764882		M-5	I3G-2M I3G-3M I3G-2L	VRG-1
	8941403712	8944269170	8941782192	2,375	A-3	13G-3L C3G-2M C3G-3M	VRG-2
						(Dyno Hp: 7.7)	
				100 100 100 100 100 100 100 100 100 100			
				6. 2.17 3.			

Date of Issue Revisions: (A) Distributor changed by RC87V04 Rev. No. : 87G-02  $87G-\Lambda C-2$   $87G-\Lambda C-3$  on 012087.

equipment. If two test weights are listed, the lower weight will be used for testing.

Rev. Date: 4-16-86 1-20-87 5-8-87

Issue Date: Apr. 16, 1986

(B) Part number of underfloor converter changed by RC87V06 on 050887.