State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-6-709-A Relating to Certification of New Motor Vehicles

GENERAL MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1996 model-year General Motors Corporation exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: TGM3.1V8GFEK Displacement: 3.1 Liters (191 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Exhaust Gas Recirculation
Three Way Catalytic Converter
Heated Oxygen Sensors (two)
Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

	Non-Methane	Carbon	Nitrogen	Carbon	
Miles	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	Monoxide (20 ⁰ F)	
50,000	0.25	3.4	0.4	10.0	
100,000	0.31	4.2	0.6	n/a	

The certification exhaust emission values for this engine family in grams per mile are:

	Non-Methane	Carbon	Nitrogen	Carbon
<u>Miles</u>	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	Monoxide (20 ⁰ F)
50,000	0.16	2.7	0.2	7.6
100,000	0.18	3.2	0.2	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-methane organic gas (NMOG) exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles", and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations. -

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this //

_day of September 1995.

R. N. Summerfield

Assistant Division Chief Mobile Source Division

AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET GASOLINE-FUELED PASSENGER CARS

VEHICLE MODELS:

<u>1 J C 3 7</u> (EXAMPLE)

Digit 1 - Selling Division

- 1 Chevrolet
- 2 Pontiac 3 Oldsmobile
- 4 Buick
- 6 Cadillac 8 Saturn

Digit 2 - Body Designation

- Cutlass Ciera, Cutlass Cruiser, Century, Century Wagon
- Caprice, Caprice Wagon, Roadmaster Wagon, Coachbuilder Wagon, Roadmaster
- Ninety-Eight, Park Avenue
- Fleetwood, Limousine, Funeral Coach/Hearse
- Eldorado
- Camaro, Firebird/Formula
 - Riviera, Aurora
- Bonneville, Eighty-Eight, LeSabre Cavalier, Sunfire
- Seville
- Ksp Deville/Concours
- Corsica, Beretta
- Grand Am, Achieva, Skylark
- Grand Prix, Regal, Cutlass Supreme, Lumina, Monte Carlo
- Corvette
- Saturn SC. SL. SW

Digit 3 - Trim Level

B, C, D, E, F, G, H, J, K, L, M, N, P, R, S, T, U, V, W, X, Y, Z

<u>Digits 4 & 5 - Body Style</u>

07 - 2Dr Sport Coupe	37 - 2Dr Hardtop Coupe
08 - 2Dr Hatchback Coupe	47 - 2Dr Hardtop Coupe
11 - 2Dr Notchback	57 - 2Dr Hardtop Coupe
15 - 2Dr Station Wagon	67 - 2Dr Convertible Coupe
19 - 4Dr Sedan	68 - 4Dr Hatchback Sedan'
23 - 4Dr Aux. Seat Sedan	69 - 4Dr (Notchback) Sedan
27 - 2Dr (Notchback) Coupe	77 - 2Dr Hatchback Coupe
29 - 4Dr Sedan	87 - 2Dr Hatchback Coupe
35 - 4Dr Station Wagon	90 - Commerical Chassis

ISSUED: ML-TP080

REVISED: ML-TR038

17-TGM3.1V8GFEK-1

1996 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

MFR: GEN	NERAL MOTORS CORP.	_ ENGINE FA	MILY: TGM	3.1V8GFEK EVAP. FA	WILY: <u>TGM108</u>	9AYMEA
LL ENGIN	NE CODES IN ENGINE	FAMILY:	CA	495	50S <u>X</u> A	B965
EXH STD:	CA Tier-1_X_	TLEV LE	V UL!	EV ;	U.S. EPA Tie	r-1 <u>X</u>
				IN-USE EXH STD: FULL		
				MDV2MDV3		· =
	RT STD FOR MULTI-C			•		
					INDO PHA	SF 2 X
FUEL TYPE(S): DEDICATED X GASOLINE X ; EMISS TEST FUEL(S): INDO PHASE 2_X SERVICE ACCUM: STD AMA MFR ADP X ; NMOG TEST PROC: NA EQUIV						
				HYBRID TYPE: NA		_
				DISPLACEMENT: 3.1		
				RATED HP:		
ENGINE LO						
	MISSION CONTROL SY					J-F1
	VALUES: <u>SECTION</u>		1WC 11025(2)	,-J: 1		
ENG		TRANS.	EQUIV.		EĈD	CATALVTIC
CODE	VEH MODELS	(M5,A4	TEST	PCM	EGR SYSTEM	CATALYTIC CONVERTER
<u>(LOC)</u>	(SEE PAGE 1)	<u>ETC.)</u>	WEIGHT	PART NO./CALIB	PART NO.	PART NO.
, 4M	2NE37	A4/C	3250	16209020/16210214	17096154	10243261,
	2NW37		3375*2			25144396
	2NE69 2NW69		3375*1			
	3NL37		3250			
	3NL69 4NJ37					
4.4	4NJ69		3375*1			
4A,4N 4B,4P				16209020/16227984 16209020/16230584		
4C,4R				16209020/16234464		
4D,4T				16209020/16238674		
CARLIN	E NAME C	ARLINE CODE				
GRAND AM		33025				

29010

ISSUED: ML-TP080 REVISED: ML-TR019, ML-TR034, ML-TR038, ML-TR045, ML-TR047, ML-TP135,

ML-TR082, ML-TR085, ML-TR100

ACHIEVA

 $[\]star 1$ ETW for models 2NE69 and 4NJ69 was 3250 prior to RC ML-TR082.

^{*2} ETW for model 2NW37 was 3250 prior to RC ML-TR098.