State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-17-67-1 Relating to Certification of New Motor Vehicles

AMERICAN MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1983 model-year American Motors Corporation exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks.

Engine Family	Displace Cubic Inches		Exhaust Emission Control Systems (Special Features)
DAM258T2HEBX	258	(4.2)	Air Injection - Valve Exhaust Gas Recirculation Three-Way Catalyst with Closed Loop

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the emission standards for this engine family to be listed on the window decal required by California Assembly-Line Test Procedures for 1983 model-year vehicles:

Equivalent Inertia Weight	Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per Mile
0-3999	0.39	9.0	1.0
4000-5999	0.50	9.0	

The following are the certification emission values for this engine family:

Equivalent Inertia Weight	Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per Mile
0-399 <mark>9</mark>	0.30	5.0	0.8
4000-5999	0.29	4.4	0.6

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executive Order A-17-67, dated July 18, 1982, is hereby rescinded.

Executed at El Monte, California, this

day of September, 1982.

K. D. Drachand, Chief

Mobile Source Control Division

1983 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer	American Motors Corporation	Executive Order No.	A-17-67-1 ⁽¹⁾
Engine Family_	DAM258T2HEBX	Evaporative Family_	
		Engine CID (Liters)	258 (4.2)

ABBREVIATIONS:

Ignition System	Exhaust Emissions Control System
CA - Centrifugal Advance	AIP - Air Injection-Pump
EEC - Electronic Engine Control	AIV - Air Injection-Valve
EI - Electronic Ignition	CL - Closed Loop
ESAC - Electronic Spark Advance Control	EGR - Exhaust Gas Recirculation
VA - Vacuum Advance	EM - Engine Modification
VR - Vacuum Retard	OC - Oxidation Catalyst System
•	TR - Thermal Reactor
	TWC - Three-Way Catalyst System

rue I					
CFI,	CL,	DID	DIP,	EFI,	MFI
n۷	- n	Venti	uri C	arbur	etor
٧V	- V	arial	ole V	entur	i

Special Features
CCV - Combustion Chamber Valve
CFI - Central Fuel Injection
DID - Diesel Injection-Direct
DIP - Diesel Injection-Prechamber
MFI - Mechanical Fuel Injection
TC - Turbocharged

MODELS:	BODY CODE:	MODELS:	BODY CODE:
Eagle Sedan	35	Wagoneer	15
Eagle Wagon	38	Cherokee 2-Door Wagon	16
Eagle SX/4	53	Cherokee 2-Door Wagon	17
Jeep CJ-5	85	Cherokee 4-Door Wagon	18
Jeep CJ-7	87	J-10 Pickup - 119 W.B.	25
Jeep Scrambler	88	J-10 Pickup - 131 W.B.	26

DRIVE SYSTEM:

Front Engine - Transmission - Transfer Case - Front and Rear Axle

(1) Medium-duty vehicles deleted by RC 83BT258-03 on 081083.

1983 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Passenger Cars Light-Duty Truck	s_X_Medium-Duty Vehicles_X_Gas_X_Diesel
Manufacturer American Motors Cor	poration E.O. No. A-17-67-1 ⁽¹⁾
Engine Family DAM258T2HEBX	CID (Liter) Type 258 (4.2) I-6
ECS (Special Features) EGS(CL) +	EGR + AIV + TWC

1	Vehicle Models		Ignition	System	Fuel S	ystem	EGR	Valve	
Engine		Trans					l		Ident.
Code	Attachment)		Part	No.	Part	No.	Part	No.	Part No.
1		M4							8953001026
1 1M1	85,87,88	M5	3242409		89330	00469	3240	097	18953001042
							1		18953001025
1A1	87,88	L3			89330	00468	189330	00828	8953001041
1		M4							{
1 1M2	15,16,17,18,25,26	M5	l		89330	00469	3240	192	8953001034
1							{		
1 1A2	15,16,17,18,25,26	L3			893300	00468	89330	00889	8953001043
1		M4							
1M3	35,38,53	M5			893300	00469	3240	192	8933000380
1									
1A3	35,38,53	L3			893300	00468	89330	00889	8933000379
1									
l1							<u> </u>		
1									
11					<u> </u>				
1									
ł <u>l</u>									
1									
11							1		
1									
1					<u> </u>		<u> </u>		
1									
1					L		<u> </u>		
1			,						
							<u> </u>		

Comments	•	 	

(See Page 1 for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.)

Note: Add 10% to dyno test HP for air conditioning usage.

Date of Issue: 091882

Revised: (1) Medium-duty vehicles deleted by RC 83BT258-03 on 081083. 3525G/2