#### State of California AIR RESOURCES BOARD

# EXECUTIVE ORDER A-23-62 Relating to Certification of New Motor Vehicles

HONDA MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1988 model-year Honda Motor Co., Ltd. exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family		placement (Cubic Inches)	Exhaust Emission Control Systems (Special Features)
JHN1.6V5FXC4	1.6	(97)	Three-Way Catalyst Oxygen Sensor (Sequential Fuel Injection) (On-board Diagnostics)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per mile
0.39	7.0	0.7

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile
0.27	2.6	0.3

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s] ..." (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) and with Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this \_

6 Hay of November, 1987.

K. D. Drachand, Chief Mobile Source Division

Λ	Æ	A -	2	∢ ⋅	- (	S

## 1988 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page	1
	-

Man Santa and	NO.	VI 4 70 43	T1011 (115000)
Manufacturer	HONDA	Engine Family	JHN1.6V5FXC4
Evaporative Family	88FD	Engine Type	I - 4
		Liters (CID)	1.6 (97)
ABBREVIATIONS			-
Ignition System	<u>F</u>	Exhaust Emissions Control System	Special Features
CA-Centrifugal Advance EEC-Electronic Engine Co EI-Electronic Ignition ESAC-Electronic Spark Ad Control VA-Vacuum Advance VR-Vacuum Retard	ntrol A  Vance H  ()  ()	AIP-Air Injection-Pump AIV-Air Injection-Valve DBC-Dual Bed Catalyst EGR-Exhaust Gas Recirculation EIC-Electronic Injection Control EM-Engine Modification DC-Oxidation Catalyst DS-Oxygen Sensor HOS-Heated Oxygen Sensor SPL-Smoke Puff Limiter or Throttle Delay TOC-Trap Oxidizer, Continual TOP-Trap Oxidizer, Periodical TWC-Three-way Catalyst WUOC-Warm-Up Oxidation Catalyst	CCV-Combustion Chamber Valve CFI-Central Fuel Injection DID-Diesel Injection- Direct DIP-Diesel Injection- Prechamber EFI-Electronic Fuel Injection IC-Intercooler or Aftercooler MFI-Mechanical Fuel
CFI, CL, DID, DIP, EFI, nV-nVenturi Carburetor		WUTWC-Warm-Up Three-Way Catalyst	Injection OBD-On-Board Diagnostics TC-Turbocharger
VEHICLE MODELS:			
Integra 3 Dr H	B RS		
Integra 3 Dr H	B LS		
Integra 5 Dr H	B RS		
Integra 5 Dr H	B LS		,
Engine : Front X	Mid.	Rear	
Drive : FWD X	RWD .	4WD Full Time	WD Part Time

030186

ISSUED: 09/15/87

## 1988 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O.	ij.	A-23-62

Page	2	

Manufa	cturer _		н	OND.	A	·		Engine Family	у ЈН	N1.6V5FXC4	
								Engine Type			
								os			
Engine Code	Vehicle (If Code attach	ed so ment	ee			Trans. Type	Test		Mfr's	EGR Valve Mfr's (Vendor's) Part No.	Mfr's
JX1	Integra Integra Integra Integra Integra	3Dr 3Dr 5Dr	HB HB HB	LS LS RS	SP	м5	2625 2750	EI & ESAC Toyo Denso Distributor: 30100-PM7-	ECU: 37820-		
JX1/1	Integra Integra Integra Integra Integra	3Dr 3Dr 5Dr	HB HB HB	LS LS RS	SP		2625 ECU: 3	PG7-L011	PG7-L011 (684)	N/A	18150-PG7
JX3	Integra Integra Integra Integra Integra	3Dr 3Dr 5Dr	HB HB HB	LS LS RS	SP	<b>A</b> 4	2625	EI & ESAC Toyo Denso Distributor:			18150-PG7 -A020
JX3/1	Integra Integra Integra Integra Integra	3Dr 3Dr 5Dr	HB HB HB	LS LS RS	SP			30100-PM7- 0061(TD-03U) ECU: 37820- PG7-L111 (685)	ECU: 37820- PG7-L111 (685)		

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing. Add 10% to dyno test HP for air conditioning usage.

	*	: Please	refer to	page	08-1.1	in	1988 Ap	pplic	ation.
Date o	of	Issued _	09/15/8	7	<del></del>		REVISE	ED:	12/14/87 (RC #75)

### 1988 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.Q.	V	A-23-6	4

Page	2.1	

Manufac	cturer		HC	NDA				Fingine Family JHN1.6V:  Engine Type 1 - 4		N1.6V5FXC4	
Emission Control Sys. (Special Features)								<del></del>			
Engine Code	Vehicle (If Code attachm *(Dyno H	d se ent)	ee.			Trans. Type	Test	Mfr's	Mfr's (Vendor's)	(Vendor's)	Mfr's
JX1 -65	Integra Integra					2625	2625	EI & ESAC Toyo Denso Distributor:	CL & EFI Denshi Giken		
•	Integra Integra Integra	5Dr	HB	LS		М5	2750	30100-PM7- 0063(TD-03U) ECU: 37820- PG7-L021	ECU: 37820- PG7-L021 (37820-PG7		· -
JX1/1 -65	Integra	3Dr	нв	RS		]	2625	(37820-PG7 -L02)	-L02)		
-03	Integra Integra Integra Integra	5Dr 5Dr	HB HB	RS LS			2750	-102)	1	N/A	18150-PG7 -A010(HCO) 18150-PG7
JX3	Integra	3Dr	нв	RS			2625				-A020(HCO)
<b>-</b> 65	Integra Integra Integra Integra	5Dr 5Dr	HB HB	RS LS		A4	2750	EI & ESAC Toyo Denso Distributor: 30100-PM7- 0063(TD-03U)	ECU: 37820-		
JX3/1 -65	Integra Integra Integra Integra Integra	3Dr 5Dr 5Dr	HB HB HB	LS RS LS	SP			ECU: 37820- PG7-L121 (37820-PG7 -L12)	(37820-PG7 -L12)		

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing. Add 10% to dyno test HP for air conditioning usage.

*: Pleas	e refer to page (	08-1.1 in 1988 Application.	
Date of Issued	03/07/88	REVISED: 05/26/88 (RC # 65	. `