## State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER A-23-183 Relating to Certification of New Motor Vehicles

HONDA MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1996 model-year Honda Motor Co., Ltd. exhaust emission control systems are certified as described below for passenger cars:

Emission Standard Category: Transitional Low-Emission Vehicle (TLEV)

Fuel Type: Gasoline

Engine Family: THN2.2VJG2EK <u>Displacement</u>: 2.2 Liters (132 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Warm-Up Three Way Catalytic Converter Three Way Catalytic Converter Heated Oxygen Sensors (Two) Exhaust Gas Recirculation Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The TLEV certification exhaust emission standards for this engine family in grams per mile are:

Mil <u>es</u>	Non-Methane Organic Gas	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	<u>Formaldehyde</u>	Carbon <u>Monoxide (20<sup>0</sup>F)</u>
50,000 100,000	0.125 0.156	3.4 4.2	0.4 0.6	0.015 0.018	10.0 n/a
	ty Adjustment	Factor (RAF)	for NMOG Ma	ss Emission:	0.98

The certification exhaust emission values set forth for non-methane organic gas (NMOG) reflect application of a 0.98 RAF for 1996 model-year TLEVs. The TLEV certification exhaust emission values for this engine family in grams per mile are:

Miles_	Non-Methane Organic Gas	Carbon Monoxide	Nitrogen <u>Oxides</u>	<u>Formaldehyde</u>	Carbon <u>Monoxide (20<sup>0</sup>F)</u>
50,000	0.056	0.8	0.1	0.001	5.0
100,000	0.063		0.1	0.001	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-methane organic gas (NMOG) exhaust mass emission requirements as set forth in "California Exhaust (NMOG) exhaust mass emission requirements as set forth in "California Exhaust (NMOG) exhaust mass emission requirements as set forth in "California Exhaust (NMOG) exhaust mass emission requirements as set forth in "California Exhaust (NMOG) exhaust mass emission requirements as set forth in "California Exhaust (NMOG) exhaust mass emission requirements as set forth in "California Exhaust (NMOG) exhaust mass emission requirements as set forth in "California Exhaust (NMOG) exhaust mass emission requirements as set forth in "California Exhaust (NMOG) exhaust mass emission requirements as set forth in "California Exhaust (NMOG) exhaust mass emission requirements as set forth in "California Exhaust (NMOG) exhaust mass emission requirements as set forth in "California Exhaust (NMOG) exhaust mass emission requirements as set forth in "California Exhaust (NMOG) exhaust mass emission requirements as set forth in "California Exhaust (NMOG) exhaust mass emission requirements as set forth in "California Exhaust (NMOG) exhaust mass emission requirements as set forth in "California Exhaust (NMOG) exhaust mass emission requirements as set forth in "California Exhaust (NMOG) exhaust mass emission requirements as set forth in "California Exhaust (NMOG) exhaust mass emission requirements as set forth in "California Exhaust (NMOG) exhaust mass emission requirements as set forth in "California Exhaust (NMOG) exhaust mass emission requirements as set forth in "California Exhaust (NMOG) exhaust mass emission requirements as set forth in "California Exhaust (NMOG) exhaust mass emission requirements as exhaust exhaust mass emission requirements as exhaust e

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the 50,000-mile evaporative emission standards applicable to 1980 through 1994 model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That, based on the evaporative emission phase-in compliance schedule submitted by the vehicle manufacturer, the listed vehicle models shall not be subject to the running loss and useful life standards set forth in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards time of the Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the manufacturer is certifying the listed vehicle models with a partially complying on-board diagnostic system for the aforementioned model year pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(6.1) ("Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines").

BE IT FURTHER RESOLVED: That the vehicle manufacturer has demonstrated compliance with the exhaust emission standards at 50 degrees Fahrenheit as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 13 day of July 1995.

R. B./Summerfield Assistant Division Chief Mobile Source Division

E.O. # A-23-183
Page 1 of 1

## 1996 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer: HONDA	Exh Engine Family:
All Eng Codes in Eng Fam: UA A 493 JUST	7FV : US EPA Tier-1
All Eng Codes in Eng Fam: CA X 495 JUS LEV	To Was Rab Std: Rull In Use X Alt In Use
Evap Std: 50K X Useful Life with R/L	IN-USE EXH Std. Pdf1 In OUG
Water Classical PC Y LDT1 LDT2 MDV1_	PIDV2 115V3 ===
Single Cert Std for Multi-Class Eng ram. M/A Due	1-Fuel Bi-Fuel Gasoline_X_ Diesel
CNG LNG LFGNOS T	oc M85 Other
Emiss Test Fuel(s): Indo Ph2 X CNG LF	(0 OFF 96 113-86
	40 Crk 60.113 74
Service Accum: Std AMA Mod AMA X Mfr AI	Other
1 1 // Ctd	R/L 1630 1100
Hybrid: Type A B C, APU Cycle:	N. Titore 132 Cubic Inches
Hybrid: Type A B C, APU Cycle: Engine Configuration: L-4 Displacement: 2.	Z Liters 132 dable inches
Valves per Cylinder: 4 Rated HP: 130/	DUU KEN AWD-FT AWD-PT
n Paret V Mid Rear DIIVE.	LAND Y KAN THE AME TO THE
Exhaust ECS: WUTWC/TWC/HO2S(2)/EGR/SFI	

	Engine Code	Vehicle Models	Trans.	ETW	DPA	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalytic Converter Part No.
<b>.</b>	TNN1/1 (CA)	Accord LX Sedan	м5	3250	6.9	EI Distributor: TD-76U ECM: 37820- POJ-L01	EGR Valve:	XP, XS
	TNN3/1 (CA)	Accord LX Sedan	L4	3250	6.9	EI Distributor: TD-76U PCM: 37820- POJ-L51		

E.O. #A-23-183

1996 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET Page 1 of 1
Manufacturer: HONDA Exh Engine Family: Index. Though Exh Engine Family: Though Exh Engine Family: Though Exh Engine Family: Though Exh Std: CA Tier-1 TLEV X ULEV ZEV ; US EPA Tier-1 Evap Std: 50K X Useful Life with R/L In-Use Exh Std: Full In Use X Alt In Use Yeh Class (es): PC X LDT1 LDT2 MDV1 MDV2 MDV3 MDV4 MDV5 Single Cert Std for Multi-Class Eng Fam: N/A Single Cert Std for Multi-Class Eng Fam: N/A Fuel Type(s): Dedicated X Flex-Fuel Dual-Fuel Bi-Fuel Gasoline X Diesel CNG LNG LPG M85 Other Emiss Test fuel(s): Indo Ph2 X CNG LPG M85 Other Emiss Test fuel(s): Indo Ph2 X CNG LPG M85 Other Emiss Test fuel(s): Indo Ph2 X CNG LPG M85 Other Emiss Test fuel(s): Indo Ph2 X CNG LPG M85 Other Emiss Test fuel(s): Indo Ph2 X CNG LPG M85 Other Emiss Test fuel(s): Indo Ph2 X CNG LPG M85 Other Emiss Test fuel(s): Indo Ph2 X CNG LPG M85 Indo Ph2 X CN
Diesel: 13 CCR 2282 40 CFR 86.113-90
Engine Configuration: L-4 Displacement:

Engine Code	Vehicle Models	Trans.	ETW	DPA	Ignition (ECM/PCM) Part No.	EGR System Part No. EGR Valve:	Catalytic Converter Part No.
TNN1/1 (CA)	Accord LX Sedan	М5	3250	6.9	EI Distributor: TD-76U ECM: 37820-P0J-L01	11L	XP
TNN3/1 (CA)	Accord LX Sedan	L4	3250	6.9	EI Distributor: TD-76U ECM: 37820-P0J-L51		
TNN3/1-33 (CA)	Accord LX Sedan	L4 ~	3250	6.9	EI Distributor: TD-76U ECM: 37820-P0J-306		

ISSUED: 04/26/95 REVISED: 09/02/96 09/12/97